

Nobivac[®] Myxo-RHD PLUS

Switching Protocol Knowledge Check

Scenario 1

Sootie was vaccinated with Nobivac Myxo-RHD in October 2020 and an inactivated RHDV-2 vaccine in December 2020, she's going for her booster in October 2021. Which vaccine would be best to give Sootie?



Scenario 2

Pete has only been previously vaccinated with Nobivac Myxo-RHD (in January 2021) and is returning to the practice in August 2021 for a health check. How would you approach Pete's vaccination in August and at subsequent appointments?

Scenario 3

Herbert is a 7-week-old rabbit who hasn't been vaccinated before. Which vaccine should Herbert receive?



Scenario 4

Floppy has been previously vaccinated with an inactivated RHDV-2 only vaccine in March 2021. She returns for a pre-neutering check-up in August 2021. Which vaccine should Floppy ideally be given?

Scenario 5

Cotton Tail has lapsed >12 months with his vaccinations. He was previously vaccinated with an inactivated RHDV-2 vaccine in January 2020 and Nobivac Myxo-RHD in February 2020. He has returned to get his vaccinations up to date. How would you approach vaccinating Cotton Tail?



Answers

Scenario 1:
Nobivac Myxo-RHD PLUS.

Scenario 2:
Give an inactivated RHDV-2 vaccine in August, then Nobivac Myxo-RHD PLUS in January 2022, for subsequent years there would be a requirement to change the booster reminder to January only.

Scenario 3:
Nobivac Myxo-RHD PLUS.

Scenario 4:
Nobivac Myxo-RHD or Nobivac Myxo-RHD PLUS.
If given Nobivac Myxo-RHD PLUS the booster reminder would be set to August 2022, however if given Nobivac Myxo-RHD, Floppy can then be switched to Nobivac Myxo-RHD PLUS in March 2022.

Scenario 5:
Vaccinate with an inactivated RHDV-2 vaccine and either Nobivac Myxo-RHD, while stock is available, or Nobivac Myxo-RHD PLUS. Leave a 2 week interval between the different vaccines.
For all subsequent annual boosters, use Nobivac Myxo-RHD PLUS on its own. This advice is precautionary due to the lack of data for this specific scenario and is only applicable during the switch-over period. In the future if a rabbit has lapsed with Nobivac Myxo-RHD PLUS >12 months then it would be simply a matter of restarting with a single dose of Nobivac Myxo-RHD PLUS.

Nobivac® Myxo-RHD PLUS contains live myxoma vectored RHD virus strains 009 and MK1899. **POM-V.**

Nobivac® Myxo-RHD contains contains live myxoma vectored RHD virus strain 009. **POM-V.**

Further information is available from the SPC, Datasheet or package leaflet.

MSD Animal Health UK Limited. Registered office Walton Manor, Walton, Milton Keynes MK7 7AJ, UK. Registered in England & Wales no. 946942.

Advice should be sought from the medicine prescriber.

Use medicines responsibly.

