

5 steps to success with Nobivac[®]KC

1

Prepare

For improved comfort, keep the Nobivac KC solvent out of the fridge or Nobivac Chiller Unit. Alternatively allow the product to warm to room temperature before administration.

2

Discuss

Discuss the need for vaccination for contagious cough and recommend vaccination for at risk dogs and puppies. Ideally give with the annual booster. Inform your client that transient signs of sneezing maybe expected.

3

Restrain

Gentle restraint can be key to success. A soft wrap-around muzzle may sometimes be needed. An extra staff member can act as a backstop. Dogs with very short blunt noses may also benefit from a towel to help stabilise the head!

4

Approach


Administer injectable vaccine before giving Nobivac KC. Avoid approaching from the front. Covering the eyes and lifting the head can be helpful. Resting the hand holding the syringe on the side of the dog's face may make it easier for the syringe nozzle to stay aligned in case of unexpected sharp movements.

5

Administer

If possible try to trickle the vaccine into the nose rather than squirting it. Hold the syringe perpendicular to the long axis of the nose elevated to 45 degrees or more.

Watch the University of Nottingham's fear-free method of intranasal vaccination administration!



Or visit bit.ly/IntranasalVaccines



Don't Wait, Vaccinate!
Download and order pet owner materials to promote vaccination in your practice.

